

# INMAR CORP.

With subcontracted services provided by:

## C.D. PRODUCTS, INC.

**EPOXY, URETHANE & FIBERGLASS FLOORING AND LINERS**













918 N. UNION ST., APPLETON, WI 54911

(920) 739-8685 800-221-6381 FAX: (920)739-8704

web site: www.concretedefense.com

### Calculating Results

Use this worksheet to calculate the test results. For multiple tests, use the data sheet provided with multiple test kit packaging

<p><b>Step 1</b></p> <p>1</p>	<p>Record dates and times this test was conducted.</p> <table border="0" style="width: 100%;"><tr><td style="text-align: center; width: 33%;"><p>Start Time</p><p>Minutes</p><p>AM PM</p><p>_____</p><p>Start Date</p></td><td style="text-align: center; width: 33%;"><p>Stop Time</p><p>Minutes</p><p>AM PM</p><p>_____</p><p>Stop Date</p></td><td style="text-align: center; width: 33%;"><p><b>Total Hours</b></p><div style="border: 1px solid black; width: 100%; height: 100%;"></div><p>Minimum 60 Hours Maximum 72 Hours</p></td></tr></table>	<p>Start Time</p>  <p>Minutes</p> <p>AM PM</p> <p>_____</p> <p>Start Date</p>	<p>Stop Time</p>  <p>Minutes</p> <p>AM PM</p> <p>_____</p> <p>Stop Date</p>	<p><b>Total Hours</b></p> <div style="border: 1px solid black; width: 100%; height: 100%;"></div> <p>Minimum 60 Hours Maximum 72 Hours</p>	
<p>Start Time</p>  <p>Minutes</p> <p>AM PM</p> <p>_____</p> <p>Start Date</p>	<p>Stop Time</p>  <p>Minutes</p> <p>AM PM</p> <p>_____</p> <p>Stop Date</p>	<p><b>Total Hours</b></p> <div style="border: 1px solid black; width: 100%; height: 100%;"></div> <p>Minimum 60 Hours Maximum 72 Hours</p>			
<p><b>Step 2</b></p> <p>2</p>	<p>Record the start and stop weight to 1/10th of a gram. Subtract the start weight from the stop weight to determine gain.</p> <table border="0" style="width: 100%;"><tr><td style="width: 33%;">_____ Grams</td><td rowspan="3" style="text-align: center; vertical-align: middle;">  <b>Weight Gain</b></td></tr><tr><td>— _____ Grams</td></tr><tr><td>_____ Grams</td></tr></table>	_____ Grams	  <b>Weight Gain</b>	— _____ Grams	_____ Grams
_____ Grams	  <b>Weight Gain</b>				
— _____ Grams					
_____ Grams					
<p><b>Step 3</b></p> <p>3</p>	<p>Use the following equation to determine the vapor emission volume in Pounds per 1,000 square feet in 24 hours.</p> $\frac{\text{Weight Gain} \times 108.846}{\text{Total Hours}} = \text{Pounds}$ <p>_____ X 108.846 = <span style="border: 1px solid black; display: inline-block; width: 100px; height: 30px; vertical-align: middle;"></span> Pounds</p>				