

CD PRODUCTS INC GOZOVER LIST AS OF MARCH 1 2005

PRODUCT	PRODUCT BELOW / TOP COATED WITH-->	NUPRIME	1013	1020	1021	1301	1301 LT	1120
NUPRIME	WATERBASED FOR NEW CONCRETE	B	A > 24 C	A > 24 C	A > 24 C	A > 24 C	A > 24 C	A > 24 C
1013	SEMI SOLVENT BASED FOR OLD SURFACES	B	B	AC	AC	AC	AC	AC
1020	GENERAL PURPOSE PENETRATING	AC	AC	AC	AC	AC	AC	AC
1021	WATER RESISTANT PENETRATING	AC	AC	AC	AC	AC	AC	AC
1301	SOLVENT RESISTANT PENETRATING	AC	AC	AC	AC	AC	AC	AC
1301 LT	LOW TEMP CURE PENETRATING	NR	NR	NR	NR	NR	AC	NR
1120	GENERAL PURPOSE EPOXY	AC	AC	AC	AC	AC	AC	AC
1120 BLOCK FILLER	EPOXY BLOCK FILLER	AC	AC	AC	AC	AC	AC	AC
1121	WATER RESISTANT EPOXY	AC	AC	AC	AC	AC	AC	AC
1300	SOLVENT RESISTANT AND GENERAL USE EPOXY	ABC	ABC	AB	AB	AB	AB	AB
1300LT	LOW TEMP 1300 COATING	NR	NR	NR	NR	NR	NR	NR
1300 ESD	ELECTROSTATIC DISSIPATIVE COATING	NR	NR	NR	NR	NR	NR	NR
1400	NOVOLAC EPOXY	NR	NR	NR	NR	NR	NR	NR
2101-40	CLEAR LOW COST AROMATIC URETHANE	ND	ND	NR	NR	NR	NR	NR
2101-60	CLEAR LOW COST 60% SOLIDS AROMATIC URETHANE	ND	NR	NR	NR	NR	NR	NR
2200	VERYHIGH PERFORMANCE ALIPHATIC URETHANE	NR	NR	NR	NR	NR	NR	NR
2210-20	GENERAL USE ALIPHATIC URETHANE	>7d C	>24C	NR	NR	NR	NR	NR
2210-40	GENERAL USE ALIPHATIC URETHANE	>7d C	>24C	NR	NR	NR	NR	NR
2210-63	GENERAL USE ALIPHATIC URETHANE	>24 C	>24C	NR	NR	NR	NR	NR
2300 ARISTOTHANE	WATER BASED SATIN URETHANE	>7d C	>24C	NR	NR	NR	NR	NR
2400 PE-URETHANE	HI PERFORMANCE UETHANE	NR	NR	NR	NR	NR	NR	NR
2411 ACROTHANE	ACRYLIC CROSS LINKED ALIPHATIC URETHANE	NR	NR	NR	NR	C	C	NR
3100	GENERAL USE INDUSTRIAL EPOXY	AC	AC	AC	AC	AC	AC	AC
3100-90	LOW VIS VERSION OF 3100	AC	AC	AC	AC	AC	AC	AC
4100	CHEMICAL AND FADE RESISTANT EPOXY	AC	AC	AC	AC	AC	AC	AC
4100 LVS	LOW VIS VERSION OF 4100	AC	AC	AC	AC	AC	AC	AC
4200	VERY LOW VIS 4100	AC	AC	AC	AC	AC	AC	AC
5100	NOVOLAC EPOXY FOR CHEMICAL RESISTANCE	NR	NR	NR	NR	NR	NR	NR
PFAC	POLYUREA FILLER AND CAULK	NR	NR	NR	NR	NR	NR	NR
ATTAPRIME 7000	CONCRETE AND STEEL PRIMER	NR	NR	NR	NR	NR	NR	NR
7100	FDA APPROVED POLYESTER	NR	NR	NR	NR	F	F	NR
7200	CHEM RESISTANT VINYL ESTER	NR	NR	NR	NR	F	F	NR
7300	HIGH CHEMICAL RESISTANE POLYESTER	NR	NR	NR	NR	NR	NR	NR
990	GENERAL PURPOSE CONCRETE SEALER	NR	NR	NR	NR	NR	NR	NR
992	HIGH WEAR CONCRETE SEALER	NR	NR	NR	NR	NR	NR	NR

TO THE BEST OF OUR KNOWLEGE THIS INFORMATION IS CORRECT TEMPERATURE AND HUMIDITY CAN PLAY A MAJOR ROLE. IF IN DOUBT TRY A SMALL AREA OR CALL US.

PRODUCT	PRODUCT BELOW / TOP COATED WITH-->	120 BLK FL	1121	1300	1300	LT 1300 ESD	1400
NUPRIME	WATERBASED FOR NEW CONCRETE	> 24 AC	A > 24 C	A > 24 C	A > 24 C	A > 24 C	A > 24 C
1013	SEMI SOLVENT BASED FOR OLD SURFACES	AC	AC	B	C	B	AC
1020	GENERAL PURPOSE PENETRATING	AC	AC	B	B	B	AC
1021	WATER RESISTANT PENETRATING	AC	AC	B	B	B	AC
1301	SOLVENT RESISTANT PENETRATING	AC	AC	AC	AC	AC	AC
1301 LT	LOW TEMP CURE PENETRATING	NR	NR	NR	NR	NR	NR
1120	GENERAL PURPOSE EPOXY	AC	AC	AC	AC	AC	AC
1120 BLOCK FILLER	EPOXY BLOCK FILLER	AC	AC	AC	AC	AC	AC
1121	WATER RESISTANT EPOXY	AC	AC	AC	AC	AC	AC
1300	SOLVENT RESISTANT AND GENERAL USE EPOXY	AC	AC	B	AC	AC	AC
1300LT	LOW TEMP 1300 COATING	NR	NR	NR	NR	NR	NR
1300 ESD	ELECTROSTATIC DISSIPATIVE COATING	NR	NR	NR	NR	B	NR
1400	NOVOLAC EPOXY	NR	NR	B	AC	AC	AC
2101-40	CLEAR LOW COST AROMATIC URETHANE	NR	NR	NR	NR	NR	NR
2101-60	CLEAR LOW COST 60% SOLIDS AROMATIC URETHANE	NR	NR	NR	NR	NR	NR
2200	VERYHIGH PERFORMANCE ALIPHATIC URETHANE	NR	NR	NR	NR	NR	NR
2210-20	GENERAL USE ALIPHATIC URETHANE	NR	NR	NR	NR	NR	NR
2210-40	GENERAL USE ALIPHATIC URETHANE	NR	NR	NR	NR	NR	NR
2210-63	GENERAL USE ALIPHATIC URETHANE	NR	NR	NR	NR	NR	NR
2300 ARISTOTHANE	WATER BASED SATIN URETHANE	NR	NR	NR	NR	NR	NR
2400 PE-URETHANE	HI PERFORMANCE UETHANE	NR	NR	NR	NR	NR	NR
2411 ACROTHANE	ACRYLIC CROSS LINKED ALIPHATIC URETHANE	NR	NR	C	C	C	C
3100	GENERAL USE INDUSTRIAL EPOXY	AC	AC	AC	AC	AC	AC
3100-90	LOW VIS VERSION OF 3100	AC	AC	AC	AC	AC	AC
4100	CHEMICAL AND FADE RESISTANT EPOXY	AC	AC	AC	AC	AC	AC
4100 LVS	LOW VIS VERSION OF 4100	AC	AC	AC	AC	AC	AC
4200	VERY LOW VIS 4100	AC	AC	AC	AC	AC	AC
5100	NOVOLAC EPOXY FOR CHEMICAL RESISTANCE	NR	NR	NR	NR	NR	NR
PFAC	POLYUREA FILLER AND CAULK	NR	NR	NR	NR	NR	NR
ATTAPRIME 7000	CONCRETE AND STEEL PRIMER	NR	NR	A > 48 C	A > 48 C	A > 48 C	A > 24 C
7100	FDA APPROVED POLYESTER	NR	NR	F	F	F	>7d C
7200	CHEM RESISTANT VINYL ESTER	NR	NR	F	F	F	ND
7300	HIGH CHEMICAL RESISTANE POLYESTER	NR	NR	NG	NG	NG	NG
990	GENERAL PURPOSE CONCRETE SEALER	NR	NR	NR	NR	NR	NR
992	HIGH WEAR CONCRETE SEALER	NR	NR	NR	NR	NR	NR

PRODUCT	PRODUCT BELOW / TOP COATED WITH-->	2101-40	2101-60	2200	2210-20	2210-40	2210-63	2300
NUPRIME	WATERBASED FOR NEW CONCRETE	A > 24 C	A > 24 C	A > 24 C	A > 24 C	A > 24 C	A > 24 C	B
1013	SEMI SOLVENT BASED FOR OLD SURFACES	AC	AC	AC	AC	AC	AC	B
1020	GENERAL PURPOSE PENETRATING	AC	AC	AC	AC	AC	AC	B
1021	WATER RESISTANT PENETRATING	AC	AC	AC	AC	AC	AC	B
1301	SOLVENT RESISTANT PENETRATING	AC	AC	AC	AC	AC	AC	B
1301 LT	LOW TEMP CURE PENETRATING	NR	NR	NR	NR	NR	NR	NR
1120	GENERAL PURPOSE EPOXY	AC	AC	AC	AC	AC	AC	AB
1120 BLOCK FILLER	EPOXY BLOCK FILLER	AC	AC	AC	AC	AC	AC	AC
1121	WATER RESISTANT EPOXY	AC	AC	AC	AC	AC	AC	AC
1300	SOLVENT RESISTANT AND GENERAL USE EPOXY	AE	AE	AE	AE	AE	AE	AB
1300LT	LOW TEMP 1300 COATING	NR	NR	NR	NR	NR	NR	NR
1300 ESD	ELECTROSTATIC DISSIPATIVE COATING	NR	NR	NR	NR	NR	NR	NR
1400	NOVOLAC EPOXY	NR	NR	AE	NR	NR	NR	NR
2101-40	CLEAR LOW COST AROMATIC URETHANE	AC	AC	AC	AC	AC	AC	AC
2101-60	CLEAR LOW COST 60% SOLIDS AROMATIC URETHANE	NR	AE	AE	AC	AC	AC	AE
2200	VERYHIGH PERFORMANCE ALIPHATIC URETHANE	NR	NR	AE	AE	AE	AE	C
2210-20	GENERAL USE ALIPHATIC URETHANE	NR	NR	AE	AE	AC	AC	AC
2210-40	GENERAL USE ALIPHATIC URETHANE	NR	NR	AE	AE	AC	AC	AC
2210-63	GENERAL USE ALIPHATIC URETHANE	AC	AC	AC	AC	AC	AC	ND
2300 ARISTOTHANE	WATER BASED SATIN URETHANE	NR	NR	NR	NR	NR	NR	NR
2400 PE-URETHANE	HIGH PERFORMANCE URETHANE	NR	NR	AE	NR	NR	NR	NR
2411 ACROTHANE	ACRYLIC CROSS LINKED ALIPHATIC URETHANE	NR	NR	A E	AE	AE	AE	AC
3100	GENERAL USE INDUSTRIAL EPOXY	AC	AC	AE	AC	AC	AC	AB
3100-90	LOW VIS VERSION OF 3100	AC	AC	AE	AC	AC	AC	AB
4100	CHEMICAL AND FADE RESISTANT EPOXY	AC	AC	AE	AC	AC	AC	AB
4100 LVS	LOW VIS VERSION OF 4100	AC	AC	AE	AC	AC	AC	AB
4200	VERY LOW VIS 4100	AC	AC	AE	AC	AC	AC	AB
5100	NOVOLAC EPOXY FOR CHEMICAL RESISTANCE	NR	NR	E	NR	NR	NR	NR
PFAC	POLYUREA FILLER AND CAULK	NR	NR	NR	NR	NR	NR	B
ATTAPRIME 7000	CONCRETE AND STEEL PRIMER	NR	NR	NR	NR	NR	NR	NR
7100	FDA APPROVED POLYESTER	NR	NR	NR	NR	NR	NR	NR
7200	CHEM RESISTANT VINYL ESTER	NR	NR	NR	NR	NR	NR	NR
7300	HIGH CHEMICAL RESISTANCE POLYESTER	NR	NR	NR	NR	NR	NR	NR
990	GENERAL PURPOSE CONCRETE SEALER	NR	NR	NR	NR	NR	NR	NR
992	HIGH WEAR CONCRETE SEALER	NR	NR	NR	NR	NR	NR	NR

PRODUCT	PRODUCT BELOW / TOP COATED WITH-->	PFAC	7000	7100	7200	7300	990	992
NUPRIME	WATERBASED FOR NEW CONCRETE	B	NR	NR	NR	NR	NR	NR
1013	SEMI SOLVENT BASED FOR OLD SURFACES	B	>7d C	NR	NR	NR	NR	NR
1020	GENERAL PURPOSE PENETRATING	B	>7d C	NR	NR	NR	NR	NR
1021	WATER RESISTANT PENETRATING	B	>7d C	NR	NR	NR	NR	NR
1301	SOLVENT RESISTANT PENETRATING	B	>7d C	NR	NR	NR	NR	NR
1301 LT	LOW TEMP CURE PENETRATING	B	NR	NR	NR	NR	NR	NR
1120	GENERAL PURPOSE EPOXY	B	>7d C	NR	NR	NR	NR	NR
1120 BLOCK FILLER	EPOXY BLOCK FILLER	B	AC	NR	NR	NR	NR	NR
1121	WATER RESISTANT EPOXY	B	>7d C	NR	NR	NR	NR	NR
1300	SOLVENT RESISTANT AND GENERAL USE EPOXY	B	A > 24 C	NR	NR	NR	NR	NR
1300LT	LOW TEMP 1300 COATING	B	NR	NR	NR	NR	NR	NR
1300 ESD	ELECTROSTATIC DISSIPATIVE COATING	NR	NR	NR	NR	NR	NR	NR
1400	NOVOLAC EPOXY	B	F	F	F	F	NR	NR
2101-40	CLEAR LOW COST AROMATIC URETHANE	NR	NR	NR	NR	NR	NR	NR
2101-60	CLEAR LOW COST 60% SOLIDS AROMATIC URETHANE	NR	NR	NR	NR	NR	NR	NR
2200	VERYHIGH PERFORMANCE ALIPHATIC URETHANE	NR	NR	NR	NR	NR	NR	NR
2210-20	GENERAL USE ALIPHATIC URETHANE	NR	NR	NR	NR	NR	NR	NR
2210-40	GENERAL USE ALIPHATIC URETHANE	NR	NR	NR	NR	NR	NR	NR
2210-63	GENERAL USE ALIPHATIC URETHANE	NR	NR	NR	NR	NR	NR	NR
2300 ARISTOTHANE	WATER BASED SATIN URETHANE	NR	NR	NR	NR	NR	NR	NR
2400 PE-URETHANE	HI PERFORMANCE UETHANE	B	NR	NR	NR	NR	NR	NR
2411 ACROTHANE	ACRYLIC CROSS LINKED ALIPHATIC URETHANE	B	NR	NR	NR	NR	NR	NR
3100	GENERAL USE INDUSTRIAL EPOXY	B	G	G	G	G	NR	NR
3100-90	LOW VIS VERSION OF 3100	B	G	G	G	G	NR	NR
4100	CHEMICAL AND FADE RESISTANT EPOXY	B	G	G	G	G	NR	NR
4100 LVS	LOW VIS VERSION OF 4100	B	G	G	G	G	NR	NR
4200	VERY LOW VIS 4100	B	G	G	G	G	NR	NR
5100	NOVOLAC EPOXY FOR CHEMICAL RESISTANCE	B	G	G	G	G	NR	NR
PFAC	POLYUREA FILLER AND CAULK	NR	B	NR	NR	NR	NR	NR
ATTAPRIME 7000	CONCRETE AND STEEL PRIMER	C	A	A	A	A	NR	NR
7100	FDA APPROVED POLYESTER	C	AG	A G	AG	AG	NR	NR
7200	CHEM RESISTANT VINYL ESTER	C	AG	AG	A G	AG	NR	NR
7300	HIGH CHEMICAL RESISTANCE POLYESTER	C	AG	AG	AG	A G	NR	NR
990	GENERAL PURPOSE CONCRETE SEALER	NR	NR	NR	NR	NR	NR	B
992	HIGH WEAR CONCRETE SEALER	NR	NR	NR	NR	NR	NR	B

KEY TOP COAT/RECOAT PROCEDURE

- A** RECOAT WITHIN 24 HOURS
- B** CLEAN AND COAT
- C** CLEAN SAND TACK WIPE W/ SOLVENT AND COAT
- D** TERRAZZO GRIND TAC WIPE W/ SOLVENT AND COAT
- E** CLEAN SAND TACK WIPE W/ SURF PREP AND COAT
- F** TERRAZZO GRIND TAC WIPE W/ SOLVENT AND COAT
- G** TERRAZZO GRIND TAC WIPE W/SOLVENT ATTAPRIME COAT
- NR** NOT RECOMMEND AS TOP COAT
IN MANY CASES BECAUSE PUTTING A LOWER PERFORMING MATERIAL OVER A HIGHER PERFORMING MATERIAL MAKES NO SENSE
- ND** NO DATA
- NG** NO GOOD WITH ANY APPROACH

- >24** WAIT ATLEAST 24 HOURS BEFORE COATING
- >48** WAIT ATLEAST 48 HOURS BEFORE COATING
- >7d** WAIT FOR FULL CURE : 7 DAYS BEFORE COATING