

SAFETY DATA SHEET

**C.D. PRODUCTS INC
918 N UNION ST
APPLETON, WI 54911
920-739-8685**

1.IDENTIFICATION PRODUCT #5100 PART B HARDENED

**CD PRODUCTS INC
918 N UNION ST
APPLETON, WI 54911
920-739-8685**

2.HAZARDS IDENTIFICAION

· Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Skin Corr. 1B; H314: Causes severe skin burns and eye damage.

GHS07

Acute Tox. 4; H302: Harmful if swallowed. Acute Tox. 4;

H332: Harmful if inhaled Tox 4

Skin Sens. 1; H317: May cause an allergic skin reaction 1B

EYE DAMAGE/IRRITATION cat 1

Toxic to reproduction cat 2

Specific target organ toxicity single exposure- central nervous system cat 1

Specific target organ toxicity multiple exposures- blood, liver, skin, respiratory, kidneys cat 1

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.

Xn; Harmful

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

Information concerning particular hazards for human and environment:

(Contd. of page 1)

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**
GHS05 GHS07



· **Signal word** Danger

· **Hazard-determining components of labelling:**

3-aminomethyl-3,5,5-trimethylcyclohexylamine m-phenylenebis(methylamine)

Benzyl alcohol

· **Hazard statements :**

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H361f Suspected of damaging fertility.

H361d Suspected of damaging the unborn child.

H370 Causes damage to organs: (central nervous system (CNS), eyes)

H336 May cause drowsiness and dizziness.

H372 Causes damage to organs through prolonged or repeated exposure: (blood system, skin, respiratory tract, liver, kidneys)

· **Precautionary statements**

P280: Wear protective gloves and eye protection.

P260: Do not breathe mist/vapors/spray.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

· **Hazard description:**

· **WHMIS-symbols:**

D2B - Toxic material causing other toxic effects

E - Corrosive material



NFPA ratings (scale 0 - 4)

(Contd. of page 2)

Health = 2

Fire = 1

0 Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

₂ Health = 2

₁ Fire = 1

REACTIVITY 0

Reactivity = 0

· **HMIS Long Term Health Hazard Substances**

None of the ingredients is listed.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Wear eye or face protection. Wear protective clothing. In case of inadequate ventilation wear respiratory protection. Use only outdoors or in a well-ventilated area. Do not breathe vapor. Do not eat, drink or smoke when using this product.

Response

Get medical attention if you feel unwell. **IF exposed:** Call a POISON CENTER or physician. **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. If experiencing respiratory symptoms: Call a POISON CENTER or physician. **IF SWALLOWED:** Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. **IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. **IF ON SKIN:** Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical attention. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Storage

Store locked up.

Disposal

Dispose of contents and container in accordance with all local,

3.COMPOSITION INFORMATION ON INGREDIENTS

Substance/mixture

Mixture	Ingredient name	% by weight	CAS number
	Phenol, 4-Nonyl-, Branched	35 – 50	84852-15-3
	m-Xylene-.a., .a.'-Diamine	25 – 35	1477-55-0
	Isophorone Diamine	15 – 20	2855-13-2

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8

4.FIRST AID MEASURES

Eye contact

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Inhalation

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to

the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints or symptoms, avoid further exposure.

Skin contact

Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

:

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments

:

No specific treatment.

Protection of first aid personnel

:

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly or remove it.

.

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

Decomposition products may include the following materials: carbon oxides nitrogen oxides

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13 of SDS). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see sec 13 of SDS for waste disposal.

7. HANDLING AND STORAGE

Protective measures

Put on appropriate personal protective equipment (see section 8 of SDS). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contaminations.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
m-Xylene-.a., .a.'-Diamine	ACGIH TLV (1994-09-01) Ceiling 0.1 mg/m ³ NIOSH REL (1994-06-01) Ceiling 0.1 mg/m ³

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Appropriate engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator

· Protection of hands:

Protective gloves



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

(Contd. of page 6)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Contact lenses should not be worn.

Safety glasses



Goggles recommended during refilling

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment**

No further relevant information available.

· **Risk management measures**

See Section 7 for additional information. No further relevant information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state

Liquid

Color

Clear.

Odor

amine.

Odor threshold

Not available

pH

Not available

Melting point/ Freezing point

Not available

Boiling point

247 °C (476.60 °F)

Flash point

93.4 °C (200.12 °F)

Burning time

Not available

Burning rate

Not available

Evaporation rate

Not available

Flammability (solid, gas)

Not available

Lower and upper explosive (flammable) limits

Lower: Not available Upper: Not available

Vapor pressure

13.3 Pa @ 20 °C (68.00 °F)

Vapor density

1 [Air = 1]

Relative density

Not available

Density

998 kg/m³

Solubility

Not available

Solubility in water

Partial

Partition coefficient: n-octanol/water

Not available

Auto-ignition temperature

Not available

Decomposition temperature

Not available

SADT

Not available

Viscosity

Dynamic: 85 - 145 mPa·s @ 25 °C (77.00 °F)

Kinematic

Not available

10. STABILKITY AND RECTIVITY

Reactivity

Stable under normal conditions.

Chemical stability

The product is stable.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

Strong oxidizer, Keep away from heat, sparks, flame and other ignition sources.

Incompatible materials

strong oxidizing agents, acids

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Product/ingredient name	Result	Species	Dose	Exposure
Phenol, 4-Nonyl-, Branched	LD50 Oral	Rat	1,300 mg/kg	
-				
m-Xylene-.a., .a.'-Diamine	LD50 Oral	Rat	930 mg/kg	
	LC50 Inhalation	Rat	3.89 mg/l	1 h
	LC50 Inhalation	Rat	2.4 mg/l	4 h
	LC50 Inhalation	Rat – Female	0.8 mg/l	4 h
	LD50 Dermal	Rabbit	2,000 mg/kg	
-				
Isophorone Diamine	LD50 Oral	Rat	1,030 mg/kg	

Conclusion/Summary
Not available

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Phenol, 4-Nonyl-, Branched	Skin - Severe irritant	Rabbit		24 hrs	
	eyes – Severe	Rabbit			

Conclusion/Summary
Skin
Not available

eyes
Not available

Respiratory
Not available

Sensitization
Conclusion/Summary
Skin
Not available
Respiratory
Not available

Mutagenicity
Conclusion/Summary
Not available

Carcinogenicity
Conclusion/Summary
Not available

Reproductive toxicity
Conclusion/Summary
:
Not available

Teratogenicity

Conclusion/Summary

Not available

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
m-Xylene-.a., .a.'-Diamine	Category 3 Category 1		Respiratory tract irritation Narcotic effects eyes central nervous system (CNS)
Isophorone Diamine	Category 3		Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Phenol, 4-Nonyl-, Branched	Category 1		blood system Liver lungs
m-Xylene-.a., .a.'-Diamine	Category 1 Category 2		skin respiratory tract liver kidney

Aspiration hazard

Not available

Information on the likely routes of

Not available

exposure

Potential acute health effects

Eye contact

Causes serious eye damage.

Inhalation

Harmful if inhaled. Can cause central nervous system (CNS) depression. May cause drowsiness and dizziness. May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Skin contact

Causes severe burns. May cause an allergic skin reaction.

Ingestion

Harmful if swallowed. Can cause central nervous system (CNS) depression. May cause burns to mouth, throat and stomach. Symptoms related to the physical, chemical and toxicological characteristics

Eye contact

Adverse symptoms may include the following: pain watering redness

Inhalation

Adverse symptoms may include the following: wheezing and breathing difficulties asthma nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact

Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion

Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects

Not available

Potential delayed effects

Not available

Long term exposure

Potential immediate effects

Not available

Potential delayed effects

Not available

Potential chronic health effects

Conclusion/Summary

Not available

General

Causes damage to organs through prolonged or repeated exposure: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Carcinogenicity

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

Suspected of damaging the unborn child.

Developmental effects

No known significant effects or critical hazards.

Fertility effects

Suspected of damaging fertility.

Numerical measures of toxicity

Acute toxicity estimates

Not available

12 ECOLOGICAL INFORMATION

Product/ingredient name	Result		Species	exposure
4-nonylphenol, branched	Acute LC50 138.25 µg/l	Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 135.1 µg/l	Fresh water	Fish - Bluegill	96 h
	Acute EC50 0.33 mg/l	Fresh water	Aquatic plants - Green algae	72 h
	Acute EC50 0.41 mg/l	Fresh water	Aquatic plants - Green algae	96 h

Conclusion/Summary

Not available

Persistence/degradability

Conclusion/Summary

Not available

Bioaccumulative potential

Product/ingredient name	logPow	BCF	Potential
Phenol, 4-Nonyl-, Branched	5.4	2.4	low
m-Xylene-.a., .a.'-Diamine	0.18	0.43	low

Mobility in soil

Soil/water partition coefficient (KOC)

Not available

Other adverse effects

No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers

14. TRANSPORTATION CONSIDERATIONS

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International transport regulations

Regulatory information UN/NA number Proper shipping name Classes/*PG Reportable Quantity (RQ)

CFR	2735	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (M-XYLYLENEDIAMINE, ISOPHORONE DIAMINE)	Class 8 II
IMO/IMDG	2735	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (M-XYLYLENEDIAMINE, ISOPHORONE DIAMINE)	Class 8 II
IATA (Cargo)	2735	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (M-XYLYLENEDIAMINE, ISOPHORONE DIAMINE)	Class 8 II

*PG : Packing group

Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.'

Section 15.

· ADR



- Class 8 (C7) Corrosive substances.
- Label 8
- IMDG, IA TA



15 .REGULATORY INFORMATION

U.S. Federal regulations

United States - TSCA 12(b) - Chemical export notification: None required. United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed

California Prop. 65:
None required.

United States inventory (TSCA 8b)
All components are listed or exempted.

Canada
WHMIS (Canada)
Class D-1B: Material causing immediate and serious toxic effects (Toxic).
Class D-2A: Material causing other toxic effects (Very toxic).
Class D-2B: Material causing other toxic effects (Toxic).

Class E: Corrosive material

Canadian lists
Canadian NPRI

The following components are listed: Phenol, 4-nonyl-, branched

CEPA Toxic substances
The following components are listed: Phenol, 4-nonyl-, branched

International regulations

International lists
Australia inventory (AICS): All components are listed or exempted.
Taiwan inventory (CSNN): Not determined.
Canada inventory: All components are listed or exempted.
Japan inventory: All components are listed or exempted.
China inventory (IECSC): All components are listed or exempted.
Korea inventory: All components are listed or exempted.
New Zealand Inventory (NZIoC): All components are listed or exempted.
Philippines inventory (PICCS): All components are listed or exempted.
United States inventory (TSCA 8b): All components are listed or exempted.

16. OTHER INFORMATION

Hazardous Material Information System III (U.S.A.) : Health 3
 Flammability 1
 Physical hazards 0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

Full text of abbreviated H statements
Not applicable.

History
Date of printing
2/1/16

Date of issue/Date of revision
2/1/16

Date of previous issue
03/08/2012

Version
9.0

Prepared by
CD PRODUCTS INC

Key to abbreviations

:

ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail UN = United Nations

References

available (and this SDS is copied) from the original formulating company SDS, upon presentation of necessity and execution of an NDA.

Notice to reader

NOTE: TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE. HOWEVER C.D. PRODUCTS INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN. THE FINAL DETERMINATION OF SUITABILITY OF ANY MATERIAL IS THE SOLE RESPONSE OF THE USER. ALL MATERIALS MAY PRESENT UNKNOWN HEALTH HAZARDS AND SHOULD BE USED WITH CAUTION. ALTHOUGH CERTAIN HAZARDS ARE DESCRIBED HEREIN, WE CANNOT GUARANTY THAT THESE ARE THE ONLY HAZARDS WHICH EXIST.